



## Overview

---

The ViewSonic® SC-T46 Thin Client PC uses the powerful Intel N2930 1.8GHz CPU, with Windows 8 Embedded Standard or Linux OS. The SC-T46 is optimized for all the major remote networking protocols including Citrix ICA/HDX, PCoIP, and Microsoft RemoteFX—making it a versatile virtualization solution with endless possibilities. The SC-T46 has the horsepower needed to handle a large portion of local processing and graphics rendering, and the flexibility to operate as a stateless device in a VDI-based infrastructure. Also, the SC-T46 allows to simultaneously save energy and space, thanks to its low consumption rate (only 14w) and to the VESA-ready feature (easily mounted by simply applying the brackets provided). The SC-T46 Thin Client provides the benefits of a PC-like performance, along with simplified management and lower TCO. ViewSonic's Thin Clients represent the smart solution for an optimized virtual desktop deployment.

**Powerful PC-like performance**

**80% energy savings and ENERGY STAR certified**

---

For more product information, visit us at [www.viewsoniceurope.com](http://www.viewsoniceurope.com)

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

**ViewSonic®**  
See the difference™ 

With an Intel N2930 1.8GHz processor, and Windows 8 Embedded Standard or Linux operating system options, the SC-T46 is designed to successfully handle the highest demands of both virtual and local processing, including the most graphic-intensive 2D/3D applications to provide true PC-like performance.



### Low total cost of ownership

ViewSonic's SC-T46 offers all of the benefits of a virtual desktop deployment. These include: quick deployment, enhanced security with no local HDD, increased reliability, and higher productivity. The SC-T46 is an efficient and low-cost choice for virtualizing desktops.



With its ultra-low 14W typical power consumption and ENERGY STAR certification, the ultra-compact SC-T46 Thin Client is not only environmentally friendly, but also offers 80% energy cost savings. Moreover, when the Thin Client PC is combined with an LED display, this will translate into significant savings, compared to traditional PCs and monitors.



### Enterprise Class Virtualization

Whether running Citrix XenDesktop, VMware View, or Microsoft-based VDI, the SC-T46 is the most flexible solution to handle all of your VDI-based virtualization and traditional computing needs.





## Dual Display Productivity

DUAL  
DISPLAY

A Thin Client PC provides great performance and productivity. The SC-T46 thin client can support dual 1080p displays with the power to run multiple applications and full streaming video.



## Simplified and secure management

The free bundled ViewSonic Device Manager software provides IT administrators with a powerful interface for easier, faster deployment. This client-side software also makes it easy to control up to thousands of deployed devices centrally, providing better management of software license renewals, compliance and security.



## Flexibility for your peripherals

The Versatile connectivity makes the SC-T46 suitable for all the most common formats of connection for business and entertainment components. These include dual video (DVI-D and DVI-I), Mic and headphone, 5-USB ports (4 x V2.0, 1 x V3.0) for your peripherals, and RJ45 Ethernet for your 10/100/Gigabit network. When an RJ45 Ethernet port is not available, the SC-T47 also supports wireless connectivity either with a built-in WiFi option or by utilizing an optional USB wireless adapter, such as the WPD-100.



LAN



USB



WIRELESS



## VESA-Mountable Design

With a sleek, compact form factor, the SC-T46 reduces clutter and streamlines the desktop. It also features a unique desktop stand that can either be used in a free-standing configuration on the desk, or VESA-mounted to a monitor, depending on your specific needs.





## Technical Specifications

<b>SYSTEM</b>	CPU Processor	Intel Baytrail Quad-core N2930
	Operating System	Windows Embedded 8 standard
	System Memory	DDR3 2GB
	Storage Memory	8GB
<b>DISPLAY</b>	Optimum Resolution	Integrated in main chipset, 1920x1200.
<b>INPUT/OUTPUT</b>	USB	Front USB 2.0 x 1, USB 3.0 x1 , Rear USB 2.0 x2
	LAN/Ethernet	RJ45 x1
	Power	DC IN (x1)
<b>POWER</b>	Voltage	12V DC; 3A, 36W
<b>OPERATING CONDITIONS</b>	Humidity	10% ~ 90%, Non-Condensation
	Temperature (°F/°C)	32°~95°F / 0°~35°C
<b>DIMENSIONS</b>	Physical (inch / mm)	1.56'' (W) x 5.63'' (H) x 4.06'' (D) 39.5 mm (W) x 143mm (H) x 103mm (D)
	Packaging (inch / mm)	7.87 '' (W) x 5.04'' (H) x 6.18'' (D) 200 mm (W) x 128 mm (H) 157 mm (D)
<b>WEIGHT</b>	Net (lb / kg)	1.19lbs(0.54kgs)

For more product information, visit us at [www.viewsoniceurope.com](http://www.viewsoniceurope.com)

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

	Gross (lb / kg)	2.49lbs(1.13kgs)
<b>WALL MOUNT</b>	VESA®(mm)	100x100 and 75x75
<b>REGULATIONS</b>		FCC(ICES003)/CB/CE EMC/CE R&TTE/IC Others: ENERGY STAR, EPEAT Silver, WEEE, RoHS Compliant, REACH Compliant
<b>RECYCLE/DISPOSAL</b>		Please dispose of in accordance with local, state or federal laws
<b>WARRANTY</b>		**Warranty offered may differ from market to market
<b>PACKAGE CONTENTS</b>		Accessories: 1. Thin Client*1 2. Power cord 3. Power Adapter *1 4. Quick Star Guide *1 5. Stand(Non WiFi SKU only) 6. VESA mount plate*1(WiFi SKU only) 7. CD Wizard*1 8. Compliance information*1 9. DVI to VGA adaptor*1 *Actual content may differ from market to market

## ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.